



Load Support Application Guide for 2024

Adjustable Air Spring Kits and
On-Board Compressor Systems

TABLE OF CONTENTS



| | |
|--|----|
| Popular Applications | 3 |
| Why Air Springs? | 4 |
| Why Air Lift? | 5 |
| Product Overview | 6 |
| Adjustable Load Support Applications | 8 |
| SlamAir Applications Load support for lowered vehicles | 34 |
| Drag Bags Applications Air suspension for drag racing | 34 |
| Motorhome/RV/Step Van Applications | 35 |
| Air Lift 1000 Universal Air Spring Kits | 36 |
| On-Board Air Compressor Systems | 37 |
| Universal Air Spring Spacers and Cradles for Lifted Vehicles | 37 |
| Replacement Air Springs | 38 |
| Air Spring Specifications | 39 |
| Service Parts | 40 |
| Stainless Steel Upgrade Kits | 41 |
| Compressor System Parts | 41 |
| Frequently Asked Questions | 42 |

POPULAR APPLICATIONS



| Year | Model | AIR LIFT 1000™ | AIR LIFT 1000HD™ | RideControl™ | LoadLifter 5000™ | LoadLifter 5000™ Ultimate | LoadLifter 7500 XL Ultimate™ | Air Lift ProSeries |
|----------------------|--|----------------|------------------|--------------|------------------|---------------------------|------------------------------|--------------------|
| CHEVROLET/GMC | | | | | | | | |
| 2019-2024 | Silverado/Sierra 1500 2WD & 4WD | | | | 57288 | 88288 | | 93288 |
| 2019-2024 | Silverado/Sierra 1500 Trail Boss/AT4 4WD | | | | 57388 | 88388 | | 93388 |
| 2019 | Silverado 1500 Legacy/Sierra 1500 Limited | | | | 57204 | 88204 | | 93204 |
| 2007-2019 | Silverado/Sierra 1500 2WD & 4WD Short & Standard Bed | | | 59565 | 57204 | 88204 | | |
| 2007-2018 | Silverado/Sierra 1500 2WD & 4WD Long Bed | | | | 57211 | 88211 | | |
| 2011-2019 | Silverado/Sierra 2500HD & 3500HD | | | | 57338 | 88338 | 57538 | 93338 |
| 2020-2024 | Silverado/Sierra 2500HD (Silverado - No fit for ZR2/Sierra - No fit for AT4) | | | | 57341 | 88341 | 57541 | 93341 |
| 2020-2024 | Silverado/Sierra 3500HD | | | | 57341 | 88341 | 57541 | 93341 |
| 2007-2024 | GMC Acadia | 60816 | | | | | | |
| 2007-2017 | Buick Enclave | 60816 | | | | | | |
| 2008-2017 | Chevy Traverse | 60816 | | | | | | |
| 2000-2020 | GMC Yukon & Yukon XL 1500 | 60769 | | | | | | |
| 2000-2020 | Chevy Tahoe 4 Door Only/Suburban 1500 | 60769 | | | | | | |
| 1996-2023 | Chevy Express G-2500 Heavy-duty - Call for 2024 | | | | 57205 | 88205 | | |
| 1996-2023 | Chevy Express G-3500 Passenger Van Only - Call for 2024 | | | | 57205 | 88205 | | |
| 1996-2023 | GMC Savana G-2500 & G-3500 - Call for 2024 | | | | 57205 | 88205 | | |
| 2015-2023 | Chevy Colorado/GMC Canyon 2WD & 4WD (Does not fit diesel models) | | | 59533 | | | | |
| 2011-2015 | Chevy/GMC C/K 3500 Commercial Chassis | | | | | 88339 | | |
| RAM/JEEP | | | | | | | | |
| 2019-2024 | Ram 1500 2WD (New body style) | | 60828HD | | | | | |
| 2019-2024 | Ram 1500 4WD (New body style) *See notes in listing | | 60828HD | | 57375* | 88375* | | 93375* |
| 2009-2023 | Ram 1500 2WD & 4WD (Old body style) | 60818 | 60818HD | | 57365 | 88365 | | 93365 |
| 2014-2024 | Ram 2500 2WD & 4WD (Old body style) | 80532 (4WD) | | | 57289 | 88289 | 57589 | 93289 |
| 2003-2018 | Ram 3500 4WD | | | | 57295 | 88295 | 57595 | 93295 |
| 2019-2024 | Ram 3500 2WD & 4WD | 80532 (4WD) | | | 57231 | 88231 | 57531 | 93231 |
| 2013-2023 | Ram Promaster 1500, 2500, 3500 - Call for 2024 | | | | 57233 | 88233 | | |
| 2014-2023 | Jeep Cherokee | 60863 | | | | | | |
| 2014-2023 | Jeep Cherokee Trailhawk | 60864 | | | | | | |
| 2020-2023 | Jeep Gladiator | 60830 | | | | | | |
| 2011-2024 | Jeep Grand Cherokee 2WD & 4WD | 60825 | | | | | | |
| 2018-2024 | Jeep Wrangler JL 4WD | 60829 | | | | | | |
| FORD | | | | | | | | |
| 2019-2023 | Ranger 2WD & 4WD - Call for 2024 | | | | 57234 | 88234 | | |
| 2010-2014 | F-150 2WD | | | 59568 | 57228 | 88228 | | |
| 2010-2014 | F-150 4WD | | | 59568 | 57200 | 88200 | | |
| 2015-2020 | F-150 2WD | | | 59570 | 57268 | 88268 | | |
| 2015-2020 | F-150 4WD | | | 59570 | 57385 | 88385 | | 93285 |
| 2021-2023 | F-150 2WD & 4WD (No fit for PowerBoost models) | | | | 57355 | 88355 | | 93355 |
| 2021-2023 | F-150 PowerBoost - Call for 2024 | | | | 57389 | 88389 | | |
| 2011-2016 | F-250 2WD | | | | 57395 | 88395 | | |
| 2011-2016 | F-250 4WD | | | | 57396 | 88396 | 57596 | 93396 |
| 2011-2016 | F-350 2WD | | | | 57395 | 88395 | | |
| 2011-2016 | F-350 4WD | | | | 57396 | 88396 | 57596 | 93396 |
| 2017-2022 | F-250 & F-350 2WD - Call for 2023 | | | | 57391 | 88391 | | |
| 2017-2019 | F-250 & F-350 4WD | | | | 57399 | 88399 | 57577 | 93399 |
| 2020-2022 | F-250 & F-350 SRW 4WD | | | | 57352 | 88352 | 57552 | 93352 |
| 2020-2022 | F-350 DRW - Call for 2023/2024 | | | | 57350 | 88350 | 57550 | 93350 |
| 2015-2016 | F-450 Pickup Non-Commercial Chassis | | | | | 88349 | | |
| 2017-2022 | F-450 Pickup Non-Commercial Chassis 4WD | | | | 57399 | 88399 | 57577 | 93399 |
| 2017-2023 | F-450 Pickup Non-Commercial Chassis 4WD - Call for 2024 | | | | 57399 | 88399 | | 93399 |
| 2005-2023 | F-450 & F-550 Commercial Chassis 2WD & 4WD - Call for 2024 | | | | 57345 | | | |
| 2011-2019 | Explorer 2WD & 4WD | 60821 | | | | | | |
| 2015-2023 | Transit 150, 250, 350 - Call for 2024 | | | | 57213 | 88213 | | |
| NISSAN | | | | | | | | |
| 2013-2024 | Frontier 4WD | | | | 57244 | | | |
| 2017-2024 | Titan | | | | 57331 | 88331 | | |
| 2016-2023 | Titan XD | | | | 57229 | 88229 | | |
| TOYOTA | | | | | | | | |
| 2005-2023 | Tacoma 2WD & 4WD - Call for 2024 | | | | 57300 | | | |
| 2007-2021 | Tundra 2WD & 4WD | | | | | 88299 | | |
| 2022-2024 | Tundra 2WD & 4WD (No fit for factory air or 5th wheel hitches) | | | | 57383 | 88383 | | |

Please call 1.800.248.0892 for 2024 applications.



Why Air Springs?

Tow and Haul with Safety and Comfort with Air Lift Adjustable Air Spring Kits

- Air springs ensure that weight is properly distributed to all four tires, which maximizes vehicle stability, safety and comfort (see graphics below)
- Add air when towing or hauling; deflate when riding empty for a softer ride
- Made with rugged, durable components
- Easy and quick to install with common hand tools
- No. 1 choice of professional drivers



WITHOUT AIR LIFT AIR SPRINGS...


The vehicle squats, and the possibility of body roll and bottoming out increases.



WITH AIR LIFT AIR SPRINGS...

Ideal ride height is restored, providing greater safety and comfort.

Air Lift air spring kits solve these common problems



Squat

Proper weight distribution to all tires improves steering, braking and tire wear. This is especially important while towing; adjust the air springs to accept the tongue weight of the trailer.



Headlight Aim

Only level and stable vehicles provide safe and proper headlight aiming — critical for night driving safety.




Braking and Steering

Front tires account for the majority of braking and steering. Air springs ensure that weight is properly distributed to all four tires for optimal braking and steering.



Rough Ride

Air Lift's progressive spring rate soaks up bumps, keeping tires on the road for better handling.



Body Roll

Air springs increase spring rate and vastly improve vehicle stability. Less roll means a safer and more comfortable ride.



Trailer Sway

When towing a trailer, air springs permit precise vehicle height adjustment for exact alignment, reducing trailer sway.

Why Air Lift?

Load Support Products That Fit, Work and Last. Guaranteed.

- A 3rd generation, family-owned Lansing, Michigan, suspension-specialty company since 1949
- Our in-house customer service department is available to answer your questions Monday through Friday, 8am-8pm (EST)
- The most comprehensive warranty plus an exclusive 60-day no-questions-asked, money-back guarantee
- Over 450 vehicle fitments
- Don't run around town trying to find a working air pump... Air Lift has the most innovative, easy-to-use on-board air compressor systems available



INDUSTRY EXCLUSIVE!

Air Lift's Lifetime Warranty Covers the Entire Contents of the Air Spring Kit

While other companies offer a lifetime warranty on their air springs, only Air Lift covers the air springs as well as the entire contents of the kit, including brackets, fittings and air line. Air Lift Company warrants that Air Lift 1000, Air Lift 1000 HD, RideControl, LoadLifter 5000, LoadLifter 5000 Ultimate, LoadLifter 7500 XL Ultimate and ProSeries air spring systems will be free from manufacturer's defects in workmanship or materials for as long as the original purchaser owns the original vehicle of installation. This does not include installation or other service charges for replacement. Purchase receipts are required for all warranty claims. Go to www.airliftcompany.com/warranty/ for official warranty program details.

INDUSTRY EXCLUSIVE!

Air Lift Guarantees Your Satisfaction or Your Money Back!

Air Lift offers a 60-Day No Questions Asked, Money-Back Guarantee on load support air springs and all load support on-board air compressor systems. Ride on Air Lift's air springs kit and/or use an Air Lift on-board air compressor system for 60 days. We guarantee you'll be happy with the improvement in ride comfort, load handling and air spring control, or get your money back. If you're not satisfied, you may remove the products and return them to your dealer for a full refund of your purchase price within the first 60 days after purchase.

Refund must be made by the selling agent. Offer is limited to purchasing a set of Air Lift 1000, Air Lift 1000 HD, RideControl, LoadLifter 5000, LoadLifter 5000 Ultimate, LoadLifter 7500 XL Ultimate, ProSeries or Slam Air air springs; limited to WirelessAir, WirelessOne, all LoadController on-board air compressor systems. Offer may be withdrawn at any time and does not include any units improperly installed, modified, substituted or abused. Valid only on private, non-commercial applications. Date proof of purchase is required. Does not include reimbursement for labor/installation.



Two-Year Warranty

When Consumer Installs Themselves

Air Lift Company warrants to the original purchaser that WirelessAir™, WirelessOne™ and all LoadController™ on-board air compressor systems will be free from defects in workmanship or materials for two years on the vehicle from the date of the original purchase. This does not include installation or other service charges for replacement.



Four-Year Warranty When Installed by an Authorized Installer

When installed by an Air Lift Authorized Installer, Air Lift Company warrants to the original purchaser that WirelessAir and WirelessOne on-board air compressor systems will be free from defects in workmanship or materials for four years from the date of the original purchase. This does not include installation or other service charges for replacement.



Warranty programs may change at the discretion of Air Lift Company. View complete, detailed warranty information at <http://air-lift.co/ls/warranty>

Warranty Information

| | |
|------------------------------|---------------------|
| Air Lift ProSeries™ | Lifetime Limited |
| LoadLifter 7500 XL Ultimate™ | Lifetime Limited |
| LoadLifter 5000™ Ultimate | Lifetime Limited |
| LoadLifter 5000™ | Lifetime Limited |
| RideControl™ | Lifetime Limited |
| Air Lift 1000™ | Lifetime Limited |
| Air Lift 1000 HD™ | Lifetime Limited |
| SlamAir™ | Lifetime Limited |
| WirelessAir™ | 2 or 4 Year Limited |
| WirelessOne™ | 2 or 4 Year Limited |
| LoadController™ Compact | 2 Year Limited |
| LoadController™ Panel | 2 Year Limited |
| Other Accessories | 2 Year Limited |
| Performance Systems | 1 Year Limited |

Dedication to Quality

Air Lift Company is proud to be ISO 9001:2015 certified.

Air Lift Company is committed to fulfilling the requirements of their quality management system: to develop, manufacture and continuously improve the highest quality products that fit, work and last. Our goal is to consistently provide products and services that meet or exceed the requirements and expectations of our customers.



Product Overview



| Air Lift Product | Air Lift 1000™ | Air Lift 1000 HD™ | RideControl™ | | LoadLifter 5000™ | LoadLifter 5000™ ULTIMATE | LoadLifter 7500 XL™ ULTIMATE | Air Lift ProSeries |
|-------------------------------------|---|---|---|--|---|---|---|---|
| Representative Kit Photo | | | | | | | | |
| Uses | Good for towing/hauling loads up to GVWR Adjustable load support for coil sprung vehicles | Good for towing/hauling loads up to GVWR Our highest rated coil spring insert exclusively for RAM 1500 | Good for towing/hauling loads up to GVWR Excellent stability, safety and car-like ride comfort | | Good for towing/hauling loads up to GVWR Safe and comfortable ride, loaded or unloaded | Good for towing/hauling loads up to GVWR Ultimate ride comfort with internal jounce bumper | Good for towing/hauling loads up to GVWR Level the heaviest loads at lower pressures | Good for towing/hauling loads up to GVWR Featuring aluminum anodized end caps |
| Fitment | <ul style="list-style-type: none"> Most SUVs, CUVs, cars and minivans with open coil springs Motorhomes | <ul style="list-style-type: none"> Ram 1500 trucks | <ul style="list-style-type: none"> Most 1/2-ton trucks Some vans | | <ul style="list-style-type: none"> Most 1/2, 3/4 & 1-ton trucks Motorhomes/RVs Some full-size vans | <ul style="list-style-type: none"> Most 1/2, 3/4 & 1-ton trucks Motorhomes/RVs Some full-size vans | <ul style="list-style-type: none"> Popular 3/4 & 1-ton trucks | <ul style="list-style-type: none"> Most 1/2, 3/4 & 1-ton trucks Motorhomes/RVs Some full-size vans |
| Load-Leveling Capacity | Up to 1,000 lbs.* | Up to 2,100 lbs.* | Up to 2,000 lbs.* | | Up to 5,000 lbs.* | Up to 5,000 lbs.* | Up to 7,500 lbs.* | Up to 5,000 lbs.* |
| Air Adjustable | From 5 to 35 PSI 90 PSI for motorhomes | From 5 to 50 PSI | From 5 to 100 PSI | | From 5 to 100 PSI | From 5 to 100 PSI | From 5 to 100 PSI | From 5 to 100 PSI |
| Air Spring | Polyurethane coil-insert spring | Polyurethane coil-insert spring | Rubber sleeve-style spring | | 6-inch rubber convoluted bellows spring | 6-inch rubber convoluted bellows spring with internal jounce bumper | 7-inch rubber convoluted bellows spring with internal jounce bumper | 6-inch rubber convoluted bellows spring |
| Compatible with most in-bed hitches | Yes | Yes | No | | Yes (In most applications) | Yes (In most applications) | Yes | Yes (In most applications) |
| Additional Features | | Schrader valve | Alignment tool | | Roll plates | Roll plates Internal jounce bumper | Roll plates 20% more volume than LoadLifter 5000 Internal jounce bumper | Roll plates Aluminum anodized end caps Stainless steel attaching hardware |
| Warranty** | | | | | | | | |
| Money-Back Guarantee** | | | | | | | | |

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.
**See page 5 for details.



Adjustable Load Support Applications



Application Information for All Air Lift Front Kits



Up to 1,000 lbs. Load-Leveling Capacity*
2,100 lbs. for 1000HD*



Up to 2,000 lbs. Load-Leveling Capacity*



Up to 5,000 lbs. Load-Leveling Capacity*



Up to 5,000 lbs. Load-Leveling Capacity*



Up to 7,500 lbs. Load-Leveling Capacity*
+20%



Up to 5,000 lbs. Load-Leveling Capacity*

Front (All Product Lines)

Rear

Rear

Rear

Rear

Rear

Rear

| Model | Start Year | End Year | Drive | Notes |
|-------|------------|----------|-------|-------|
|-------|------------|----------|-------|-------|

| Chevrolet - Truck/SUV | | | | |
|--|------------|----------|-------|---|
| Model | Start Year | End Year | Drive | Notes |
| Avalanche 1500 | 2002 | 2014 | 2&4 | Will not fit factory-installed auto-leveling option |
| Avalanche 2500 | 2002 | 2006 | 4WD | Requires 6" between the tire and frame |
| Blazer | 1969 | 1991 | 4WD | Requires 6" between the tire and frame on rear kit |
| Blazer | 1973 | 1991 | 2WD | Requires 6" between the tire and frame on rear kit |
| Blazer, Tahoe 2 Door Only | 1992 | 1997 | 4WD | |
| Blazer | 2019 | 2024 | F&A | Does not fit internal coil spring jounce bumper models |
| C-1500 1/2 Ton Pickup | 1973 | 1987 | 2WD | 57215 & 88215: Requires 8" between the tire and frame |
| C-1500 1/2 Ton Pickup Regular & Crew Cab | 1988 | 1998 | 2WD | 59501: Not extended cab; Requires 6" between the tire and frame 57216 & 88216: Not extended cab; Does not fit if axle to frame distance is 7.25" or less |
| C-10 1/2 Ton Pickup | 1973 | 1987 | 2WD | 57215 & 88215: Requires 8" between the tire and frame |
| C-20 3/4 Ton Pickup | 1973 | 1987 | 2WD | Requires 8" between the tire and frame |
| C-2500 3/4 Ton Pickup | 1988 | 2000 | 2WD | Does not fit if axle to frame distance is 7.25" or less |
| C-30 1 Ton Pickup | 1967 | 1987 | 2WD | Requires 8" between the tire and frame |
| C-3500 1 Ton | 1999 | 2000 | 2WD | Under 11,000 GVWR; Does not fit if axle to frame distance is 7.25" or less |
| Colorado Z71 & YC1 | 2004 | 2012 | 2WD | |
| Colorado Z71 & Z85 | 2004 | 2012 | 4WD | |
| Colorado | 2015 | 2023 | 2&4 | Does not fit diesel models |
| Equinox | 2018 | 2024 | 2&A | |
| Geo-Tracker 2 Door | 1989 | 2004 | 4WD | |
| K-10 1/2 Ton Pickup | 1973 | 1987 | 4WD | 59501: Requires 6" between the tire and frame |
| K-1500 1/2 Ton Pickup | 1988 | 1998 | 4WD | 59501: Requires 6" between the tire and frame 57216 & 88216: Does not fit if axle to frame distance is 7.25" or less |
| K-20 3/4 Ton Pickup | 1973 | 1987 | 4WD | Requires 8" between the tire and frame |
| K-2500 3/4 Ton Pickup | 1988 | 2000 | 4WD | Does not fit if axle to frame distance is 7.25" or less |
| K-30 1 Ton Pickup | 1973 | 1987 | 4WD | Requires 8" between the tire and frame |
| K-3500 1 Ton | 1988 | 2000 | 4WD | Under 11,000 GVWR; Does not fit if axle to frame distance is 7.25" or less |
| S-10 Pickup | 1982 | 2003 | 2WD | Without sport suspension |
| S-10 Pickup | 1983 | 1993 | 4WD | |
| Silverado 1500 Classic GMT 800 series | 1999 | 2007 | 2WD | Requires 6" between the tire and frame |
| Silverado 1500 Classic GMT 800 series | 1999 | 2007 | 4WD | Requires 6" between the tire and frame - Does not fit QuadraSteer |
| Silverado 1500 GMT 900 series aka "Legacy" | 2007 | 2019 | 2&4 | Fits 68.4" and 78" bed lengths only. LoadLifter does not fit MagneRide. |
| Silverado 1500 GMT 900 series | 2007 | 2018 | 2&4 | Fits 97.8" bed lengths only. LoadLifter does not fit MagneRide. |
| Silverado 1500 | 2019 | 2024 | 2&4 | |
| Silverado 1500 Legacy | 2019 | 2019 | 2&4 | |
| Silverado 1500 Trail Boss | 2019 | 2024 | 4WD | |
| Silverado 1500HD | 2001 | 2005 | 2&4 | 59501: Requires 6" between the tire and frame 57250 & 88250: Will fit most side-mount 5th wheel hitch applications |
| Silverado 2500 3/4 Ton Pickup | 1999 | 2004 | 2&4 | Except 2500 HD; Will fit most side-mount 5th wheel hitch applications. Will not fit with QuadraSteer. |
| Silverado 2500HD 3/4 Ton Pickup | 2001 | 2010 | 2&4 | Will fit most side-mount 5th wheel hitch applications. Will not fit with QuadraSteer. |
| Silverado 2500HD 3/4 Ton Pickup | 2011 | 2019 | 2&4 | Will fit most side-mount 5th wheel hitch applications |
| Silverado 2500HD | 2020 | 2024 | 4WD | Fits most in bed hitches. Fits all puck style 5th wheel and gooseneck hitch mounts. May not work with frame side-mount 5th wheel and gooseneck hitches, review installation guide for reference. Does not fit the ZR2 model. |
| Silverado 3500 1 Ton Pickup | 2001 | 2010 | 2&4 | Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Will not fit with QuadraSteer. |

Kit

TYPE

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Kit

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Kit

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Kit

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Kit

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Kit

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Kit

DIFFICULTY LEVEL

TOOLS

INSTALL TIME

Add an Air Lift on-board air compressor system. See page 37 to learn more.

WirelessAIR



P/N 74000
P/N 74000EZ (with EZ Mount)

WirelessONE



P/N 25980
P/N 25980EZ (with EZ Mount)

WirelessONE Tank + EZ Mount



P/N 25981EZ

LoadController



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

- Air Lift 1000..... [AL]
- RideControl..... [RC]
- LoadLifter 5000..... [LL]
- LoadLifter 5000 Ultimate..... [U]
- LoadLifter 7500 XL Ultimate..... [XL]

Features Key and Installation Scale

| Features | Difficulty Level | Tools | Modification to Vehicle | Installation Time |
|------------------------------------|------------------|------------------------|---|--|
| Internal Jounce Bumper | Easy | Hand Tools | No metal drilling, grinding or removal of factory components. | 1 Number of hours a typical professional installer will take to complete a full installation |
| Stainless Steel Attaching Hardware | | Hand tools and drill | Drilling may be required. Removal or temporary disconnection of factory components may be required. | |
| Anodized Aluminum Endcaps | Medium | Special tools required | Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required. | 2 |
| | Expert | | | 3 |



Adjustable Load Support Applications

Air Lift Front Kits


(Representative front kit image)



Application Information for All Air Lift Front Kits

Front (All Product Lines)

Air Lift 1000 & Air Lift 1000 HD



Up to 1,000 lbs. Load-Leveling Capacity*
2,100 lbs. for 1000HD*

RideControl



Up to 2,000 lbs. Load-Leveling Capacity*

LoadLifter 5000



Up to 5,000 lbs. Load-Leveling Capacity*

LoadLifter 5000 ULTIMATE



Up to 5,000 lbs. Load-Leveling Capacity*
+20%

LoadLifter 7500 XL ULTIMATE



Up to 7,500 lbs. Load-Leveling Capacity*
+20%

Air Lift ProSeries



Up to 5,000 lbs. Load-Leveling Capacity*

| Model | Start Year | End Year | Drive | Notes | Front (All Product Lines) | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | |
|--|------------|----------|-------|---|---------------------------|------|------------------|-------|--------------|----------------|------|------------------|-------|--------------|-----|------|------------------|-------|--------------|-----|------|------------------|-------|--------------|------|------|------------------|-------|
| | | | | | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | TYPE | DIFFICULTY LEVEL | TOOLS |
| Ford - Car | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crown Victoria | 1998 | 2007 | | | | | | | | 60798 | | | | | | | | | | | | | | | | | | |
| Crown Victoria, Country Squire | 1983 | 1987 | | | | | | | | 60769 | | | | | | | | | | | | | | | | | | |
| Focus Station Wagon | 2000 | 2007 | | | | | | | | 60724 | | | | | | | | | | | | | | | | | | |
| Mustang | 1979 | 2004 | | | | | | | | 60797 | | | | | | | | | | | | | | | | | | |
| Taurus Station Wagon | 1986 | 2005 | | | | | | | | 60776 | | | | | | | | | | | | | | | | | | |
| Taurus SHO | 2010 | 2019 | | | | | | | | 60821 | | | | | | | | | | | | | | | | | | |
| Thunderbird | 1992 | 1997 | | | | | | | | 60776 | | | | | | | | | | | | | | | | | | |
| Thunderbird | 1989 | 1991 | | | | | | | | 60789 | | | | | | | | | | | | | | | | | | |
| Ford - Truck/SUV | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronco | 1980 | 1996 | 4WD | 59501: Requires 6" between tire and frame 57215 & 88215: Requires 8" between tire and frame | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronco II | 1983 | 1990 | 4WD | Requires 6" between tire and frame | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronco Sport | 2021 | 2023 | 4WD | | | | | | | 60858 | | | | | | | | | | | | | | | | | | |
| Edge | 2007 | 2015 | 2&4 | | | | | | | 60819 | | | | | | | | | | | | | | | | | | |
| Edge | 2016 | 2020 | 2&4 | | | | | | | 60854 | | | | | | | | | | | | | | | | | | |
| Escape | 2020 | 2023 | AWD | | | | | | | 60858 | | | | | | | | | | | | | | | | | | |
| Excursion | 2000 | 2004 | 2WD | | | | | | | | | | | | | | | | | | | | | | | | | |
| Excursion | 2000 | 2005 | 4WD | | | | | | | 57154 88154 | | | | | | | | | | | | | | | | | | |
| Expedition | 1997 | 2002 | 4WD | | | | | | | 61792 | | | | | | | | | | | | | | | | | | |
| Explorer | 2011 | 2019 | | Fits D3 and D4 Chassis | | | | | | 60821 | | | | | | | | | | | | | | | | | | |
| Explorer | 2020 | 2023 | 2&4 | Does not fit factory air equipped vehicles | | | | | | 60855 | | | | | | | | | | | | | | | | | | |
| Flex | 2009 | 2019 | 2&A | | | | | | | 60821 | | | | | | | | | | | | | | | | | | |
| Maverick | 2022 | 2024 | AWD | | | | | | | 60859 | | | | | | | | | | | | | | | | | | |
| F-100, 150 1/2 Ton Pickup | 1966 | 1979 | 4WD | 59501: Requires 6" between tire and frame 57215 & 88215: Requires 8" between tire and frame | | | | | | | | | | | | | | | | | | | | | | | | |
| F-100, 150 1/2 Ton Pickup | 1968 | 1996 | 2WD | 59501: Requires 6" between tire and frame 57215 & 88215: Requires 8" between tire and frame | | | | | | | | | | | | | | | | | | | | | | | | |
| F-100, 150 1/2 Ton Pickup | 1980 | 1996 | 4WD | 59501: Requires 6" between tire and frame 57215 & 88215: Requires 8" between tire and frame | | | | | | | | | | | | | | | | | | | | | | | | |
| F-100, 250 1/2 & 3/4 Ton Pickup | 1953 | 1967 | 2WD | 59501: Requires 6" between tire and frame 57215 & 88215: Requires 8" between tire and frame | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 Pickup - including Heritage 1/2 Ton Pickup | 1997 | 2004 | 2&4 | Including Lightning & Harley Davidson. Requires 6" between tire and frame. Short box, extended cab, with 5th wheel hitch use kit #59542 instead. | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2004 | 2009 | 2WD | New body, excludes Heritage models | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2004 | 2009 | 4WD | New body, excludes Heritage models | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2010 | 2014 | 2WD | New body, excludes Heritage models. Does not fit the F-150 Raptor. | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2010 | 2014 | 4WD | New body, excludes Heritage models. Does not fit the F-150 Raptor. | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2015 | 2020 | 2WD | | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2015 | 2020 | 4WD | | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 1/2 Ton Pickup | 2021 | 2023 | 2&4 | Does not fit the F-150 PowerBoost models | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 PowerBoost 1/2 Ton Pickup | 2021 | 2023 | 4WD | Call for 2024 | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 Raptor | 2009 | 2014 | 4WD | | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 Raptor | 2017 | 2020 | 4WD | | | | | | | | | | | | | | | | | | | | | | | | | |
| F-150 Raptor | 2021 | 2023 | 4WD | | | | | | | | | | | | | | | | | | | | | | | | | |

Add an Air Lift on-board air compressor system. See page 37 to learn more.

WirelessAIR



P/N 74000
P/N 74000EZ (with EZ Mount)

WirelessONE



P/N 25980
P/N 25980EZ (with EZ Mount)

WirelessONE Tank + EZ Mount



P/N 25981EZ

LoadController



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

- Air Lift 1000 [AL]
- RideControl [RC]
- LoadLifter 5000 [LL]
- LoadLifter 5000 Ultimate [U]
- LoadLifter 7500 XL Ultimate [XL]

Features Key and Installation Scale

| Features | Difficulty Level | Tools | Modification to Vehicle | Installation Time |
|------------------------------------|------------------|------------------------|---|--|
| Internal Jounce Bumper | Easy | Hand Tools | No metal drilling, grinding or removal of factory components. | 1 Number of hours a typical professional installer will take to complete a full installation |
| Stainless Steel Attaching Hardware | | Hand tools and drill | Drilling may be required. Removal or temporary disconnection of factory components may be required. | |
| Anodized Aluminum Endcaps | Medium | Special tools required | Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required. | 3 |
| | Expert | | | 4 |



Adjustable Load Support Applications



Application Information for All Air Lift Front Kits



Up to 1,000 lbs. Load-Leveling Capacity*
2,100 lbs. for 1000HD*



Up to 2,000 lbs. Load-Leveling Capacity*



Up to 5,000 lbs. Load-Leveling Capacity*



Up to 5,000 lbs. Load-Leveling Capacity*
+20%



Up to 7,500 lbs. Load-Leveling Capacity*
+20%



Up to 5,000 lbs. Load-Leveling Capacity*

| Model | Start Year | End Year | Drive | Notes | Front (All Product Lines) | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | | | | | | |
|-----------------------------------|------------|----------|-------|---|---------------------------|------|------------------|-------|--------------|-------|------------------|-------|--------------|-------|------------------|-------|--------------|-----|------------------|-------|--------------|-----|------------------|-------|--------------|-----|------------------|-------|--------------|--|--|--|--|
| | | | | | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | | | | |
| Jeep/Eagle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cherokee | 2014 | 2023 | F&4 | Does not fit Trailhawk models | | | | | | 60863 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Cherokee Trailhawk | 2014 | 2023 | 4WD | Fits Trailhawk models only | | | | | | 60864 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| CJ Series & Scrambler | 1972 | 1986 | | | | | | | | | | | | 59503 | AL | RC | 2 | | | | | | | | | | | | | | | | |
| Comanche | 1986 | 1993 | | | | | | | 80702 | AL | RC | 2 | | | | | | | | | | | | | | | | | | | | | |
| Commander | 2006 | 2010 | 4WD | No fit for front kit | | | | | | 60811 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Custom & Grand Wagoneer | 1984 | 1991 | | | | | | | | | | | | 59507 | AL | RC | 2 | | | | | | | | | | | | | | | | |
| Eagle Summit | 1992 | 1993 | | Station wagon only | | | | | | 60776 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Gladiator | 2020 | 2023 | 4WD | | | | | | | 60830 | AL | RC | 2 | | | | | | | | | | | | | | | | | | | | |
| Grand Cherokee | 1999 | 2004 | | | | | | | | 60754 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Grand Cherokee | 2005 | 2010 | 4WD | Does not fit SRT models | | | | | | 60811 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Grand Cherokee | 2011 | 2024 | 2&4 | Does not fit Jeep Quadra-Lift equipped and SRT-8 vehicles | | | | | | 60825 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Grand Cherokee L | 2021 | 2024 | 2&4 | | | | | | | 60861 | AL | RC | 2.5 | | | | | | | | | | | | | | | | | | | | |
| Grand Wagoneer, Grand Cherokee | 1992 | 1998 | | Except "Up Country" models | | | | | 80702 | AL | RC | 2 | | | | | | | | | | | | | | | | | | | | | |
| Wagoneer, Cherokee | 1992 | 2002 | | Also fits Sport model | | | | | | | | | | 59507 | AL | RC | 2 | | | | | | | | | | | | | | | | |
| Wrangler (including Rubicon) | 1997 | 2006 | | | | | | | 80702 | AL | RC | 2 | | | | | | | | | | | | | | | | | | | | | |
| Wrangler | 2007 | 2018 | 2&4 | including Unlimited 4-door. JK only | | | | | | | | | | 60817 | AL | RC | 1 | | | | | | | | | | | | | | | | |
| Wrangler | 2018 | 2024 | 4WD | JL only | | | | | | | | | | 60829 | AL | RC | 1 | | | | | | | | | | | | | | | | |
| XJ-Wagoneer, XJ-Cherokee, Pioneer | 1984 | 1991 | | | | | | | 80702 | AL | RC | 2 | | | | | | | | | | | | | | | | | | | | | |
| Kia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sorrento | 2016 | 2019 | F&A | | | | | | | 60860 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Sportage | 2016 | 2022 | F&A | | | | | | | 60860 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Telluride | 2020 | 2024 | F&A | | | | | | | 60860 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Lexus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LX 450-470 | 1996 | 2002 | | | | | | | | 60728 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| GX460 | 2010 | 2020 | | Does not fit factory air suspension | | | | | | 60804 | AL | RC | 3 | | | | | | | | | | | | | | | | | | | | |
| Lincoln - Car | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Continental | 1982 | 1988 | | Excl. vehicles w/ factory air suspension | | | | | | 60783 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Mark VII | 1984 | 1987 | | Excl. vehicles w/ factory air suspension | | | | | | 60783 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Towncar | 1980 | 1989 | | | | | | | | 60769 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Lincoln - Truck/SUV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aviator | 2020 | 2023 | AWD | Does not fit factory air equipped vehicles | | | | | | 60855 | AL | RC | 2 | | | | | | | | | | | | | | | | | | | | |
| Mark LT | 2005 | 2009 | 2&4 | | | | | | | | | | | 59544 | AL | RC | 1 | | | | | | | | | | | | | | | | |
| MKX | 2007 | 2015 | 2&4 | | | | | | | 60819 | AL | RC | 3.5 | | | | | | | | | | | | | | | | | | | | |
| MKS | 2010 | 2016 | 2&4 | | | | | | | 60821 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| MKT | 2010 | 2016 | 2&4 | | | | | | | 60821 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |
| Nautilus | 2019 | 2023 | AWD | | | | | | | 60854 | AL | RC | 1 | | | | | | | | | | | | | | | | | | | | |

Add an Air Lift on-board air compressor system. See page 37 to learn more.

WirelessAIR



P/N 74000
P/N 74000EZ (with EZ Mount)

WirelessONE



P/N 25980
P/N 25980EZ (with EZ Mount)

WirelessONE Tank + EZ Mount



P/N 25981EZ

LoadController



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

- Air Lift 1000 AL
- RideControl RC
- LoadLifter 5000 LL
- LoadLifter 5000 Ultimate U
- LoadLifter 7500 XL Ultimate XL

Features Key and Installation Scale

| Features | Difficulty Level | Tools | Modification to Vehicle | Installation Time |
|--|------------------|------------------------|---|---|
| Internal Jounce Bumper | Easy | Hand Tools | No metal drilling, grinding or removal of factory components. | 1 Number of hours a typical professional installer will take to complete a full installation 2 3 4 |
| Stainless Steel Attaching Hardware | | Hand tools and drill | Drilling may be required. Removal or temporary disconnection of factory components may be required. | |
| Anodized Aluminum Endcaps | Expert | Special tools required | Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required. | |
| 20% Up to 20% more volume than LoadLifter 5000 | | | | |

Adjustable Load Support Applications


Front (All Product Lines)

Rear

Rear

Rear

Rear

Rear

Rear

| Model | Start Year | End Year | Drive | Notes | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME |
|----------------------------|------------|----------|-------|-------------------------|-------|------|------------------|-------|--------------|
| Mazda | | | | | | | | | |
| MPV Van | 1996 | 1998 | | | 60776 | 🔧 | 🔧 | 🔧 | 1 |
| Pickup | 1972 | 1993 | 2&4 | All models | | | | | |
| Pickup | 1994 | 1997 | 2WD | All models | | | | | |
| Pickup | 1994 | 1997 | 4WD | All models | | | | | |
| Pickup | 1998 | 2010 | 2&4 | All models | | | | | |
| Mercury - Car | | | | | | | | | |
| Cougar | 1989 | 1991 | | | 60789 | 🔧 | 🔧 | 🔧 | 1 |
| Cougar | 1992 | 1997 | | | 60776 | 🔧 | 🔧 | 🔧 | 1 |
| Grand Marquis | 1998 | 2006 | | | 60798 | 🔧 | 🔧 | 🔧 | 1 |
| Grand Marquis, Colony Park | 1983 | 1997 | | Including station wagon | 60769 | 🔧 | 🔧 | 🔧 | 1 |
| Sable Station Wagon | 1986 | 2005 | | | 60776 | 🔧 | 🔧 | 🔧 | 1 |
| Mitsubishi | | | | | | | | | |
| Expo | 1992 | 1993 | | | 60776 | 🔧 | 🔧 | 🔧 | 1 |
| Montero | 1990 | 2000 | | | 60747 | 🔧 | 🔧 | 🔧 | 1 |
| Montero Sport | 1997 | 1998 | 4WD | | | | | | |
| Montero Sport | 1999 | 2004 | 4WD | | 60747 | 🔧 | 🔧 | 🔧 | 1 |
| Pickup | 1983 | 1993 | 2WD | | | | | | |
| Raider | 2006 | 2009 | 2&4 | | | | | | |
| Nissan | | | | | | | | | |
| Frontier | 1998 | 1998 | 2WD | | | | | | |
| Frontier | 2013 | 2024 | 4WD | | | | | | |
| Murano | 2003 | 2024 | F&A | | 60774 | 🔧 | 🔧 | 🔧 | 1 |
| Pathfinder | 1987 | 1995 | 4WD | | 60783 | 🔧 | 🔧 | 🔧 | 1 |
| Pathfinder | 1996 | 2004 | 4WD | | 60742 | 🔧 | 🔧 | 🔧 | 1 |
| Pathfinder | 2005 | 2012 | 4WD | | 60810 | 🔧 | 🔧 | 🔧 | 1 |
| Pathfinder | 2013 | 2024 | 2&4 | | 60838 | 🔧 | 🔧 | 🔧 | 1 |
| Pathfinder Armada | 2004 | 2006 | 4WD | | 60807 | 🔧 | 🔧 | 🔧 | 1 |
| Pickup | 1969 | 1997 | 2WD | | | | | | |
| Rogue | 2014 | 2020 | F&A | | 60836 | 🔧 | 🔧 | 🔧 | 1 |
| Rogue | 2021 | 2023 | AWD | | 60837 | 🔧 | 🔧 | 🔧 | 1 |
| Titan | 2004 | 2015 | 2&4 | | | | | | |
| Titan | 2017 | 2024 | 2&4 | | | | | | |
| Titan XD | 2016 | 2023 | 2&4 | | | | | | |
| Xterra | 2005 | 2015 | 4WD | | | | | | |

Add an Air Lift on-board air compressor system. See page 37 to learn more.

WirelessAIR

 P/N 74000
 P/N 74000EZ (with EZ Mount)

WirelessONE

 P/N 25980
 P/N 25980EZ (with EZ Mount)

WirelessONE Tank + EZ Mount


P/N 25981EZ

LoadController

Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

- Air Lift 1000 [AL]
- RideControl [RC]
- LoadLifter 5000 [LL]
- LoadLifter 5000 Ultimate [U]
- LoadLifter 7500 XL Ultimate [XL]

Features Key and Installation Scale

| Features | Difficulty Level | Tools | Modification to Vehicle | Installation Time |
|------------------------------------|------------------|--------------------------|---|--|
| Internal Jounce Bumper | 🔧 Easy | 🔧 Hand Tools | No metal drilling, grinding or removal of factory components. | 1 Number of hours a typical professional installer will take to complete a full installation |
| Stainless Steel Attaching Hardware | | 🔧 Hand tools and drill | Drilling may be required. Removal or temporary disconnection of factory components may be required. | |
| Anodized Aluminum Endcaps | 🔧 Medium | 🔧 Special tools required | Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required. | 2 |
| | 🔧 Expert | | | 3 |
| | | | | 4 |

Adjustable Load Support Applications

Air Lift Front Kits

(Representative front kit image)



Application Information for All Air Lift Front Kits

Front (All Product Lines)

Air Lift 1000 & Air Lift 1000 HD



Up to 1,000 lbs. Load-Leveling Capacity*
2,100 lbs. for 1000HD*

RideControl



Up to 2,000 lbs. Load-Leveling Capacity*

LoadLifter 5000



Up to 5,000 lbs. Load-Leveling Capacity*

LoadLifter 5000 ULTIMATE



Up to 5,000 lbs. Load-Leveling Capacity*

LoadLifter 7500 XL ULTIMATE



Up to 7,500 lbs. Load-Leveling Capacity*
+20%

Air Lift ProSeries



Up to 5,000 lbs. Load-Leveling Capacity*

| Model | Start Year | End Year | Drive | Notes | Front (All Product Lines) | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | |
|----------------------------------|------------|----------|-------|---|---------------------------|------|------------------|-------|--------------|-----|------------------|-------|--------------|-------|------------------|-------|--------------|-----|------------------|-------|--------------|-----|------------------|-------|--------------|-----|------------------|-------|
| | | | | | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS |
| Oldsmobile - Car | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Achieva | 1992 | 1998 | | | | | | | 60789 | AL | 1 | | | | | | | | | | | | | | | | | |
| Aurora | 1995 | 2004 | | | | | | | 60776 | AL | 1 | | | | | | | | | | | | | | | | | |
| Custom Cruiser Station Wagon | 1977 | 1993 | | | | | | | 60755 | AL | 1 | | | | | | | | | | | | | | | | | |
| Custom Cruiser Station Wagon | 1984 | 1995 | FWD | | | | | | 60797 | AL | 1 | | | | | | | | | | | | | | | | | |
| Cutlass | 1964 | 1966 | | Including station wagon and Vista Cruiser | | | | | 60750 | AL | 1 | | | | | | | | | | | | | | | | | |
| Cutlass Calais | 1985 | 1991 | FWD | | | | | | 60789 | AL | 1 | | | | | | | | | | | | | | | | | |
| Cutlass Calais | 1982 | 1996 | | | | | | | 60797 | AL | 1 | | | | | | | | | | | | | | | | | |
| Cutlass, Cutlass Supreme, Calais | 1973 | 1987 | | Excluding station wagon | | | | | 60733 | AL | 1 | | | | | | | | | | | | | | | | | |
| Cutlass, F-85, 442 | 1967 | 1972 | | Excluding station wagon | | | | | 60744 | AL | 1 | | | | | | | | | | | | | | | | | |
| Delta 88, 98, Regency | 1985 | 1999 | FWD | | | | | | 60798 | AL | 1 | | | | | | | | | | | | | | | | | |
| LS Sedan | 1996 | 1999 | | | | | | | 60798 | AL | 1 | | | | | | | | | | | | | | | | | |
| Oldsmobile - SUV/Van | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bravada | 1991 | 1994 | | | | | | | | | | | | 59503 | AL | 1 | | | | | | | | | | | | |
| Bravada | 2002 | 2004 | | Except factory air spring option | | | | | 60779 | AL | 1 | | | | | | | | | | | | | | | | | |
| Silhouette APV | 1997 | 2004 | | | | | | | 60748 | AL | 1 | | | | | | | | | | | | | | | | | |
| Plymouth - Car | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acclaim | 1989 | 1995 | | | | | | | 60776 | AL | 1 | | | | | | | | | | | | | | | | | |
| Reliant | 1981 | 1994 | | | | | | | 60776 | AL | 1 | | | | | | | | | | | | | | | | | |
| Sundance | 1987 | 1993 | | | | | | | 60776 | AL | 1 | | | | | | | | | | | | | | | | | |
| Pontiac - Car | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6000 | 1982 | 1991 | | | | | | | 60797 | AL | 1 | | | | | | | | | | | | | | | | | |
| Bonneville | 1987 | 1999 | FWD | | | | | | 60798 | AL | 1 | | | | | | | | | | | | | | | | | |
| Bonneville | 2000 | 2005 | | | | | | | 60776 | AL | 1 | | | | | | | | | | | | | | | | | |
| Firebird, Trans Am | 1982 | 2002 | | | | | | | 60797 | AL | 1 | | | | | | | | | | | | | | | | | |
| Grand Am | 1985 | 1998 | | | | | | | 60789 | AL | 1 | | | | | | | | | | | | | | | | | |
| Grand Am, Grand LeMans, LeMans | 1973 | 1982 | | Including station wagon | | | | | 60733 | AL | 1 | | | | | | | | | | | | | | | | | |
| Grand Prix | 1965 | 1968 | | | | | | | 60733 | AL | 1 | | | | | | | | | | | | | | | | | |
| Grand Prix | 1969 | 1972 | | | | | | | 60744 | AL | 1 | | | | | | | | | | | | | | | | | |
| Grand Prix | 1973 | 1987 | | | | | | | 60733 | AL | 1 | | | | | | | | | | | | | | | | | |
| J-2000, Sunbird | 1982 | 1994 | | Including station wagon | | | | | 60789 | AL | 1 | | | | | | | | | | | | | | | | | |
| LeMans | 1988 | 1992 | | | | | | | 60789 | AL | 1 | | | | | | | | | | | | | | | | | |
| LeMans, Tempest, GTO, GT37 | 1967 | 1972 | | Excluding station wagon | | | | | 60744 | AL | 1 | | | | | | | | | | | | | | | | | |
| Safari Station Wagon | 1987 | 1989 | | | | | | | 60755 | AL | 1 | | | | | | | | | | | | | | | | | |
| Tempest, GTO | 1964 | 1966 | | Including station wagon | | | | | 60750 | AL | 1 | | | | | | | | | | | | | | | | | |
| Pontiac - Van | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transport APV Van, Montana | 1997 | 2005 | | | | | | | 60748 | AL | 1 | | | | | | | | | | | | | | | | | |
| Saab | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 99, 900 | 1970 | 1991 | | | | | | | 60756 | AL | 1 | | | | | | | | | | | | | | | | | |

Add an Air Lift on-board air compressor system. See page 37 to learn more.

WirelessAIR



P/N 74000
P/N 74000EZ (with EZ Mount)

WirelessONE



P/N 25980
P/N 25980EZ (with EZ Mount)

WirelessONE Tank + EZ Mount



P/N 25981EZ

LoadController



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

- Air Lift 1000 AL
- RideControl RC
- LoadLifter 5000 LL
- LoadLifter 5000 Ultimate U
- LoadLifter 7500 XL Ultimate XL

Features Key and Installation Scale

| Features | Difficulty Level | Tools | Modification to Vehicle | Installation Time |
|--|------------------|------------------------|---|---|
| Internal Jounce Bumper | Easy | Hand Tools | No metal drilling, grinding or removal of factory components. | 1 Number of hours a typical professional installer will take to complete a full installation 2 3 4 |
| Stainless Steel Attaching Hardware | | Hand tools and drill | Drilling may be required. Removal or temporary disconnection of factory components may be required. | |
| Anodized Aluminum Endcaps | Expert | Special tools required | Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required. | |
| Up to 20% more volume than LoadLifter 5000 | | | | |



Adjustable Load Support Applications



Application Information for All Air Lift Front Kits



Up to 1,000 lbs. Load-Leveling Capacity*
2,100 lbs. for 1000HD*



Up to 2,000 lbs. Load-Leveling Capacity*



Up to 5,000 lbs. Load-Leveling Capacity*



Up to 5,000 lbs. Load-Leveling Capacity*
+20%



Up to 7,500 lbs. Load-Leveling Capacity*
+20%



Up to 5,000 lbs. Load-Leveling Capacity*

| Model | Start Year | End Year | Drive | Notes | Front (All Product Lines) | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | | Rear | | | |
|----------------------------|------------|----------|-------|---|---------------------------|------|------------------|-------|--------------|-----|------------------|-------|--------------|-------|------------------|-------|--------------|-----|------------------|-------|--------------|-----|------------------|-------|--------------|-------|------------------|-------|
| | | | | | Kit | TYPE | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS | INSTALL TIME | Kit | DIFFICULTY LEVEL | TOOLS |
| Saturn | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Outlook | 2007 | 2011 | F&A | | | | | | 60816 | | | | | | | | | | | | | | | | | | | |
| Scion | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Scion xB | 2005 | 2006 | | | | | | | 60774 | | | | | | | | | | | | | | | | | | | |
| Suzuki | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grand Vitara, Vitara, XL-7 | 1999 | 2005 | 4WD | | | | | | 60793 | | | | | | | | | | | | | | | | | | | |
| Sidekick, 2 Door | 1989 | 1998 | | | | | | | 60793 | | | | | | | | | | | | | | | | | | | |
| Toyota - Truck/SUV | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 Runner | 1990 | 1995 | 4WD | | | | | | 60812 | | | | | | | | | | | | | | | | | | | |
| 4 Runner | 1996 | 2002 | 2&4 | | | | | | 60743 | | | | | | | | | | | | | | | | | | | |
| 4 Runner | 2003 | 2009 | 4WD | | | | | | 60809 | | | | | | | | | | | | | | | | | | | |
| 4 Runner | 2010 | 2023 | 4WD | Does not fit factory air suspension | | | | | 60804 | | | | | | | | | | | | | | | | | | | |
| FJ Cruiser | 2007 | 2014 | 4WD | | | | | | 60809 | | | | | | | | | | | | | | | | | | | |
| Land Cruiser | 1991 | 2006 | | | | | | | 60728 | | | | | | | | | | | | | | | | | | | |
| Pickup | 1969 | 1995 | 2WD | | | | | | | | | | | 59502 | | | | | | | | | | | | | | |
| Pickup | 1969 | 1995 | 4WD | Except extended cab | | | | | | | | | | 59502 | | | | | | | | | | | | | | |
| RAV4 | 1996 | 2000 | 2&4 | | | | | | 60789 | | | | | | | | | | | | | | | | | | | |
| RAV4 | 2006 | 2018 | 4WD | | | | | | 60840 | | | | | | | | | | | | | | | | | | | |
| RAV4 | 2019 | 2023 | 4WD | | | | | | 60842 | | | | | | | | | | | | | | | | | | | |
| RAV4 | 2022 | 2023 | 2WD | | | | | | 60842 | | | | | | | | | | | | | | | | | | | |
| Sequoia | 2001 | 2007 | 2&4 | | | | | | 60812 | | | | | | | | | | | | | | | | | | | |
| Sequoia | 2011 | 2022 | 4WD | Does not fit Platinum platforms with air suspension | | | | | 60826 | | | | | | | | | | | | | | | | | | | |
| Sequoia SR-5 | 2008 | 2018 | 2&4 | Does not fit the auto leveling option | | | | | 60786 | | | | | | | | | | | | | | | | | | | |
| T-100 Pickup | 1993 | 1998 | 4WD | | | | | | | | | | | 59503 | | | | | | | | | | | | | | |
| T-100 Pickup | 1993 | 1998 | 2WD | All models | | | | | | | | | | 59502 | | | | | | | | | | | | | | |
| Tacoma | 1995 | 2004 | 2WD | | | | | | | | | | | 59503 | | | | | | | | | | | | | | |
| Tacoma | 1995 | 2004 | 4WD | | | | | | | | | | | 59537 | | | | | | | | | | | | | | |
| Tacoma | 2005 | 2023 | 2WD | Fits axle over leaf design models only | | | | | | | | | | 59564 | | | | | | | | | | | | | | |
| Tacoma | 2005 | 2023 | 4WD | | | | | | | | | | | | | | 57300 | | | | | | | | | | | |
| Tacoma | 2005 | 2023 | 2WD | Fits leaf over axle design models only | | | | | | | | | | | | | 57300 | | | | | | | | | | | |
| Tundra | 2000 | 2006 | 2&4 | Does not fit Tundra equipped w/ TRD package sporting 275/65-18 wheels & tires | | | | | | | | | | 59530 | | | | | | | | | | | | | | |
| Tundra | 2007 | 2021 | 2&4 | May not work with some 5th wheel hitches | | | | | | | | | | | | | | | | | | | | | | 88299 | | |
| Tundra | 2022 | 2024 | 2&4 | Does not fit factory air suspension or 5th wheel hitches | | | | | | | | | | | | | 57383 | | | | | | | | | 88383 | | |
| Toyota - Van | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sienna | 2004 | 2020 | 2&4 | | | | | | 60732 | | | | | | | | | | | | | | | | | | | |
| Volkswagen | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EuroVan | 1985 | 2003 | | | | | | | 60789 | | | | | | | | | | | | | | | | | | | |
| Routan | 2008 | 2014 | 2WD | | | | | | 60814 | | | | | | | | | | | | | | | | | | | |

Add an Air Lift on-board air compressor system. See page 37 to learn more.

WirelessAIR



P/N 74000
P/N 74000EZ (with EZ Mount)

WirelessONE



P/N 25980
P/N 25980EZ (with EZ Mount)

WirelessONE Tank + EZ Mount



P/N 25981EZ

LoadController



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

- Air Lift 1000 AL
- RideControl RC
- LoadLifter 5000 LL
- LoadLifter 5000 Ultimate U
- LoadLifter 7500 XL Ultimate XL

Features Key and Installation Scale

| Features | Difficulty Level | Tools | Modification to Vehicle | Installation Time |
|------------------------------------|------------------|------------------------|---|--|
| Internal Jounce Bumper | Easy | Hand Tools | No metal drilling, grinding or removal of factory components. | 1 Number of hours a typical professional installer will take to complete a full installation |
| Stainless Steel Attaching Hardware | | Hand tools and drill | Drilling may be required. Removal or temporary disconnection of factory components may be required. | |
| Anodized Aluminum Endcaps | Medium | Special tools required | Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required. | 2 |
| | Expert | | | 3 |
| | | | | 4 |





SLAMAIR™ / DRAG BAGS

| SlamAir Applications for Lowered Vehicles | | | | | | | | |
|---|------------|----------|-------|---|------------------|-----------------|------------------|-----------------|
| Model | Start Year | End Year | Drive | Notes | 2" - 4" Rear Kit | Replacement Bag | 5" - 6" Rear Kit | Replacement Bag |
| Chevrolet/GMC | | | | | | | | |
| 1/2 Ton Full Size Truck | 1988 | 1998 | 2WD | | 59103 | 50254 | 59106BT | 50203 |
| 3/4 Ton Truck | 1988 | 2000 | 2WD | Classic Only | no fit | no fit | 59202 | 50207 |
| 1 Ton Truck | 1988 | 2000 | 2WD | | no fit | no fit | 59202 | 50207 |
| Astro Van | 1995 | 2004 | 2WD | Multi-leaf | | 50254 | no fit | no fit |
| Silverado/Sierra 1/2 Ton Pickup | 1993 | 2008 | 2WD | Except 1500 HD | 59103 | 50254 | no fit | no fit |
| Silverado/Sierra GMT 800 | 1999 | 2007 | 2WD | Fits 4-6" drops only | 59209 | 50266 | 59209 | 50266 |
| Silverado/Sierra GMT 900 | 2007 | 2018 | 2WD | Fits 4-6" drops only; Does not fit long bed | 59209 | 50266 | 59209 | 50266 |
| Ford | | | | | | | | |
| 1/2 Ton Full Size Truck | 1970 | 2004 | 2WD | For 2004, fits Heritage model only | 59103 | 50254 | no fit | no fit |
| F-150 | 2004 | 2014 | 2&4 | New body, excludes Heritage models | 59210 | 50266 | 59210 | 50266 |
| Dodge | | | | | | | | |
| 1/2 Ton Full Size Truck | 1969 | 2001 | 2WD | | 59103 | 50254 | no fit | no fit |
| 1500 | 2002 | 2008 | 2WD | Fits 4-6" drops only | 59113 | 50259 | 59113 | 50259 |
| Lincoln | | | | | | | | |
| Mark LT | 2005 | 2009 | 2&4 | | 59210 | 50266 | 59210 | 50266 |
| Mazda | | | | | | | | |
| Pickup | 1998 | 2009 | 2WD | | 59103 | 50254 | no fit | no fit |

*Does not fit if top of leaf to bottom of the frame is less than 8.5"

| Drag Bags Applications | | | | | | | | | | | | |
|---|------------|----------|-----------|----------------------|-------|--------------|----------|---------------------|-------|--------------|--|--|
| Model | Start Year | End Year | Front Kit | Front Repl. Bag Only | TOOLS | INSTALL TIME | Rear Kit | Rear Repl. Bag Only | TOOLS | INSTALL TIME | | |
| Buick | | | | | | | | | | | | |
| Deluxe, Special, Skylark | 1967 | 1972 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Regal, Century, Gran Sport | 1973 | 1987 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Chevrolet | | | | | | | | | | | | |
| Camaro Z-28, IROC-Z | 1982 | 2002 | | | | | 60897 | 60897 | ⊗ | 1 | | |
| Chevelle, Malibu, SS, "300" | 1967 | 1972 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Chevelle, Malibu, Laguna (incl. Station Wagon) | 1973 | 1983 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| El Camino | 1967 | 1987 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Monte Carlo | 1973 | 1988 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Monte Carlo SS | 1984 | 1988 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Ford | | | | | | | | | | | | |
| Mustang | 1979 | 2004 | | | | | 60897 | 60897 | ⊗ | 1 | | |
| Oldsmobile | | | | | | | | | | | | |
| Cutlass, F-85, 442 (excl. Station Wagon) | 1967 | 1972 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Cutlass | 1973 | 1988 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Pontiac | | | | | | | | | | | | |
| Firebird, Trans Am | 1982 | 2002 | | | | | 60897 | 60897 | ⊗ | 1 | | |
| Grand Am, LeMans | 1973 | 1982 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Grand Prix | 1969 | 1972 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| Grand Prix | 1973 | 1987 | | | | | 60844 | 60844 | ⊗ | 1 | | |
| GTO, LeMans, Tempest, Judge, Custom "S" (excl. station wagon) | 1967 | 1972 | | | | | 60844 | 60844 | ⊗ | 1 | | |

MOTORHOMES / RV / STEP VANS



| Motorhome/RV/Step Van Applications | | | | | | | | | | | | | | |
|--------------------------------------|------------|----------|--|----------------|----------------------|-------|--------------|---------------|--------------------------|-------------------|------------------------------|-------|--------------|--|
| Model | Start Year | End Year | Notes | Front Kit | Front Repl. Bag Only | TOOLS | INSTALL TIME | Std. Rear Kit | Std. Rear Repl. Bag Only | Ultimate Rear Kit | Ultimate Rear Repl. Bag Only | TOOLS | INSTALL TIME | |
| Chevrolet | | | | | | | | | | | | | | |
| G-30 Class "C" | 1970 | 1995 | | 81560 | 81260 | ⊗ | 1 | | | 88105 | 84264 | | 2 | |
| G-3500 Cutaway Chassis | 1998 | 2012 | No fit for '96-'97 | | | | | 57245 | 50252 | 88245 | 84252 | ⊗ | 2 | |
| G-4500 Cutaway Chassis | 2009 | 2012 | | | | | | 57245 | 50252 | 88245 | 84252 | ⊗ | 2 | |
| GP-30 Cutaway Chassis | 1993 | 1995 | | 81560 | 81260 | ⊗ | 1 | | | 88203 | 84284 | ⊗ | 2 | |
| 5500 Cutaway Chassis/ C4500 | 2004 | 2009 | | | | | | 57292 | 50329 | | | | 2 | |
| W20/W22/W24 | 2002 | 2009 | GVWR 20,000-24,000 | 88101 | 50252 84252 | | 1 | | 50201 | 88202 | 84201 | | 2 | |
| Workhorse W-18 | 2000 | 2009 | 18,000 GVWR only | 81560 | 81260 | ⊗ | 1 | | 50229 | | | | 2 | |
| Workhorse W-16 | 2005 | 2009 | 10,500-17,000 GVWR | 81560 | 81260 | ⊗ | 1 | | 50229 | | | | 2 | |
| P-30, P-32 | 1993 | 2005 | Over 14,500 GVWR | 81560 | 81260 | ⊗ | 1 | | 50201 | 88219 | 84201 | | 2 | |
| P-30, P-32 | 1963 | 1999 | 93-'99 14,500 GVWR and under | 81560 | 81260 | ⊗ | 1 | | | 88203 | 84284 | ⊗ | 2 | |
| Dodge | | | | | | | | | | | | | | |
| M-300, M-400, M-500, M-600 Class "A" | 1973 | 1982 | | | | | | | 50211 | | | | 2 | |
| Ford | | | | | | | | | | | | | | |
| E-350 Class "C" | 1975 | 2024 | | | | ⊗ | 2 | | | 88138 | 84264 | | 2 | |
| E-450 Super Duty Class "C" | 1996 | 2008 | Under frame kit for up to 14,050 GVWR | | | | | 57131 | 50201 | 88131 | 84201 | ⊗ | 2 | |
| E-450 Super Duty Class "C" | 1996 | 2022 | Side mount kit for maximum load & stability with GVWR over 14,050; Requires 8" between tire and frame. | | | | | 57242 | 50251 | 88242 | 84251 | | 2 | |
| F-53 Class "A" | 1990 | 1997 | | 57140 88140 | 50252 84252 | | 2 | | 50201 | 88208 | 84201 | | 2 | |
| F-53 Class "A" | 1998 | 2008 | Does not fit 26,000 GVWR. Requires 9" between the tire and frame. | 57140 88140 | 50252 84252 | | 2 | 57410 | 50229 | | | | 2 | |
| F-53 Class "A" Commercial Chassis | 2009 | 2020 | Does not fit 24,000 & 26,000 GVWR. Requires 8" between the tire and frame. | 88240 | 84264 | | 1.5 | 57344 | 50201 | 88344 | 84251 | | 2 | |
| Toyota | | | | | | | | | | | | | | |
| Micro Mini | 1986 | 1994 | | | | | | 57113 | 50252 | 88113 | 84252 | | 2 | |




| Air Lift 1000 Universal Air Springs | | |
|-------------------------------------|-------------------|-----------------|
| Kit # | Min. Diameter (Y) | Min. Length (X) |
| 60900 | 3.00" | 5.50" |
| 60901 | 3.00" | 8.00" |
| 60902 | 3.00" | 9.00" |
| 60903 | 3.50" | 5.26" |
| 60904 | 3.50" | 7.75" |
| 60905 | 3.50" | 9.50" |
| 60906 | 4.00" | 5.00" |
| 60907 | 4.00" | 6.00" |
| 60908 | 4.00" | 7.00" |
| 60909 | 4.00" | 8.00" |
| 60910 | 4.00" | 9.00" |
| 60911 | 4.00" | 10.00" |
| 60914 | 4.50" | 6.50" |
| 60915 | 4.50" | 7.50" |
| 60916 | 4.50" | 9.00" |
| 60917 | 4.50" | 10.00" |
| 60918 | 5.00" | 5.25" |
| 60919 | 5.00" | 7.00" |
| 60920 | 5.00" | 9.00" |
| 60921 | 5.00" | 11.00" |
| 60922 | 5.50" | 5.50" |
| 60923 | 5.50" | 7.50" |
| 60924 | 5.50" | 8.50" |
| 60925 | 5.50" | 9.50" |
| 60926 | 5.50" | 10.50" |
| 60927 | 5.50" | 11.50" |

We have a kit for almost any coil-sprung vehicle

Can't find an air spring kit for a coil-sprung vehicle? Air Lift 1000 Universal Air Spring Kits fit almost any open coil spring to provide up to 1,000 lbs. of load-leveling support*. Just take two simple measurements and use the chart below to find the correct kit for your application.

Finding the correct application is as easy as 1-2-3!

- 1. Unload the vehicle** in order to take the most accurate measurements of the coil springs. Once the vehicle is at normal ride height, then move on to step two.
- 2. Take two measurements.** Measure the inside height (X) — the available height within the coil spring. Then, measure the inside diameter (Y), or the width available inside the coil from side to side at its widest point (see diagram).
- 3. Find the corresponding part number.** Using the chart on the right, find the row that contains the correct inside height and inside diameter, and see which part number lines up with those values. It is better to be slightly undersized than oversized.



Air Lift 1000 Universal Air Spring Kits contain everything needed for a full installation!

- Two Air Lift 1000 air springs
- Air spring spacers (if applicable)
- Two heat shields with clamps
- Air line, tee, zip ties and two Schrader valves
- Detailed installation guide with advice for a proper installation

* Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

| Compressor Systems | SINGLE-PATH Controlling two air springs together | DUAL-PATH Controlling two air springs independently |
|---|--|--|
| WIRELESS <ul style="list-style-type: none"> • Wireless controller with exterior-mounted compressor and manifold • Programmable preset positions • Adjust to tune the ride • Easier to install...no gauges to mount <p><i>Also available as an Upgrade Kit for your existing WirelessOne or WirelessAir System!</i></p> | WirelessONE Tank + EZ Mount P/N 25981EZ NEW! | WirelessAIR Tank + EZ Mount P/N 74100EZ NEW! |
| NEW! <p>P/N 25981 Upgrade Kit (WirelessOne) P/N 74100 Upgrade Kit (WirelessAir)</p> | WirelessONE P/N 25980 <p>WirelessONE with EZ MOUNT™ P/N 25980EZ</p> <p>Manifold and upgraded compressor together in one bracketed assembly.</p> | WirelessAIR P/N 74000 <p>WirelessAIR with EZ MOUNT™ P/N 74000EZ</p> <p>Manifold and upgraded compressor together in one bracketed assembly.</p> |
| COMPACT & PANEL ANALOG <ul style="list-style-type: none"> • In-cab mountable controller connected via air lines to exterior mounted compressor • One-touch button control • Low pressure sensor • Heavy-duty compressor option (Compact) and Standard-duty compressor option (Panel) <p>Single- and Dual-Path gauges come with a mounting pod or can easily fit into A-pillar pod or can be flush mounted.</p> | LoadController Compact <p>DEFLATE BOTH INFLATE BOTH Heavy-duty P/N 25854</p> | LoadController Panel <p>Standard-duty P/N 25592</p> |
| | | LoadController Compact <p>Heavy-duty P/N 25856</p> <p>DEFLATE LEFT INFLATE BOTH DEFLATE RIGHT</p> <p>Single- and Dual-Path gauges come with a mounting pod.</p> |

| Accessories | | |
|---|--|------------------------------------|
| Model | Notes | Kit Number |
| Universal Air Spring Spacers for ProSeries and LoadLifter Kits | | |
| Universal Air Spring Cradle NEW! | Kit includes 2 universal air spring spacers made from durable and lightweight engineered resin plus all attaching hardware | 52500 |
| Air Spring Spacer — 2" spacer | Includes all hardware; Does not fit RideControl | 52420 — straight |
| Air Spring Spacer — 4" spacer (available in straight and angled versions) | Includes all hardware; Does not fit RideControl | 52440 — straight 52445 — angled |
| Air Spring Spacer — 6" spacer (available in straight and angled versions) | Includes all hardware; Does not fit RideControl | 52460 — straight 52465 — angled |
| Visit Air-Lift.co/spacer for more information on how to choose the right spacer for your application. | | |
| Replacement Hose Kits | | |
| Hose Cutter | | 10530 |
| Replacement Hose Kit - Push-on (607xx & 807xx Series) | | 22007 |
| P-30 Hose Kit | | 22022 |
| Replacement Hose Kit (605xx & 805xx Series) | | 22030 |
| Other Accessories | | |
| 160 PSI Air Shock Controller | | 25804 |



REPLACEMENT AIR SPRINGS

| Kit | Replacement Air Spring |
|-------|------------------------|
| 57132 | 50252 |
| 57147 | 50252 |
| 57154 | 50252 |
| 57200 | 50298 |
| 57204 | 50297 |
| 57205 | 50252 |
| 57211 | 50297 |
| 57212 | 50201 |
| 57213 | 50290 |
| 57215 | 50201 |
| 57216 | 50201 |
| 57228 | 50298 |
| 57229 | 50201 |
| 57230 | 50235 |
| 57231 | 50201 |
| 57233 | 50251 |
| 57234 | 50772 |
| 57237 | 50201 |
| 57242 | 50251 |
| 57244 | 50225 |
| 57245 | 50252 |
| 57250 | 50201 |
| 57257 | 50293 |
| 57268 | 50205 |
| 57272 | 50298 |
| 57275 | 50290 |
| 57284 | 50205 |
| 57286 | 50290 |
| 57288 | 50217 |
| 57289 | 50293 |
| 57291 | 50201 |
| 57292 | 50229 |
| 57295 | 50293 |
| 57297 | 50217 |
| 57298 | 50201 |
| 57300 | 50225 |
| 57331 | 50771 |
| 57338 | 50297 |
| 57340 | 50251 |
| 57341 | 50297 |
| 57345 | 50229 |
| 57347 | 50201 |
| 57349 | 50201 |
| 57350 | 50293 |
| 57352 | 50293 |
| 57355 | 50385 |
| 57365 | 50293 |
| 57375 | 50293 |
| 57383 | 50383 |
| 57385 | 50385 |
| 57388 | 50293 |
| 57389 | 50389 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 57390 | 50201 |
| 57393 | 50201 |
| 57395 | 50201 |
| 57396 | 50201 |
| 57397 | 50201 |
| 57398 | 50201 |
| 57399 | 50293 |
| 57531 | 50236 |
| 57538 | 50236 |
| 57541 | 50236 |
| 57550 | 50236 |
| 57552 | 50236 |
| 57575 | 50236 |
| 57577 | 50236 |
| 57589 | 50236 |
| 57595 | 50236 |
| 57596 | 50236 |
| 59501 | 50203 |
| 59502 | 50255 |
| 59503 | 50208 |
| 59507 | 50269 |
| 59508 | 50203 |
| 59516 | 50259 |
| 59518 | 50259 |
| 59521 | 50269 |
| 59526 | 50256 |
| 59529 | 50202 |
| 59530 | 50291 |
| 59533 | 50292 |
| 59537 | 50256 |
| 59539 | 50203 |
| 59544 | 50270 |
| 59547 | 50254 |
| 59551 | 50203 |
| 59554 | 50256 |
| 59555 | 50203 |
| 59561 | 50254 |
| 59562 | 50259 |
| 59564 | 50256 |
| 59565 | 50203 |
| 59568 | 50203 |
| 59570 | 50736 |
| 60713 | 60213 |
| 60724 | 60724 |
| 60728 | 60728 |
| 60732 | 60232 |
| 60733 | 60733 |
| 60740 | 60740 |
| 60742 | 60742 |
| 60743 | 60743 |
| 60744 | 60744 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 60747 | 60747 |
| 60748 | 60748 |
| 60750 | 60750 |
| 60754 | 60754 |
| 60755 | 60755 |
| 60756 | 60756 |
| 60769 | 60269 |
| 60774 | 60774 |
| 60776 | 60776 |
| 60779 | 60779 |
| 60783 | 60783 |
| 60786 | 60786 |
| 60787 | 60287 |
| 60789 | 60789 |
| 60793 | 60793 |
| 60797 | 60797 |
| 60798 | 60798 |
| 60804 | 60804 |
| 60807 | 60807 |
| 60808 | 60808 |
| 60809 | 60809 |
| 60810 | 60810 |
| 60811 | 60811 |
| 60812 | 60812 |
| 60814 | 60814 |
| 60815 | 60315 |
| 60816 | 60816 |
| 60817 | 60317 |
| 60818 | 60318 |
| 60819 | 60819 |
| 60821 | 60821 |
| 60822 | 60322 |
| 60824 | 60824 |
| 60825 | 60825 |
| 60826 | 60826 |
| 60828 | 60328 |
| 60829 | 60829 |
| 60830 | 60830 |
| 60834 | 60834 |
| 60836 | 60836 |
| 60837 | 60837 |
| 60838 | 60838 |
| 60840 | 60840 |
| 60842 | 60842 |
| 60852 | 60852 |
| 60854 | 60854 |
| 60855 | 60355 |
| 60856 | 60856 |
| 60857 | 60857 |
| 60858 | 60858 |
| 60859 | 60859 |
| 60860 | 60860 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 60861 | 60861 |
| 60863 | 60363 |
| 60864 | 60364 |
| 60865 | 60365 |
| 61741 | 61241 |
| 61792 | 61792 |
| 80702 | 80702 |
| 81560 | 81260 |
| 88101 | 84252 |
| 88105 | 84264 |
| 88113 | 84252 |
| 88128 | 84252 |
| 88129 | 84252 |
| 88131 | 84201 |
| 88132 | 84252 |
| 88138 | 84264 |
| 88140 | 84252 |
| 88147 | 84252 |
| 88154 | 84252 |
| 88200 | 84298 |
| 88202 | 84201 |
| 88204 | 84297 |
| 88205 | 84252 |
| 88208 | 84201 |
| 88211 | 84297 |
| 88212 | 84201 |
| 88213 | 84290 |
| 88215 | 84201 |
| 88216 | 84201 |
| 88217 | 84201 |
| 88219 | 84201 |
| 88221 | 84201 |
| 88228 | 84298 |
| 88229 | 84201 |
| 88230 | 84235 |
| 88231 | 84201 |
| 88233 | 84251 |
| 88234 | 84772 |
| 88237 | 84201 |
| 88242 | 84251 |
| 88245 | 84252 |
| 88250 | 84201 |
| 88255 | 84293 |
| 88257 | 84293 |
| 88268 | 84205 |
| 88272 | 84298 |
| 88275 | 84290 |
| 88284 | 84205 |
| 88286 | 84290 |
| 88288 | 84217 |
| 88289 | 84293 |
| 88291 | 84201 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 88295 | 84293 |
| 88297 | 84294 |
| 88298 | 84201 |
| 88299 | 84264 |
| 88331 | 84771 |
| 88338 | 84297 |
| 88339 | 84297 |
| 88340 | 84251 |
| 88341 | 84297 |
| 88344 | 84251 |
| 88347 | 84201 |
| 88349 | 84201 |
| 88350 | 84293 |
| 88352 | 84293 |
| 88355 | 84385 |
| 88365 | 84293 |
| 88375 | 84293 |
| 88383 | 84383 |
| 88385 | 50385 |
| 88388 | 84293 |
| 88389 | 84389 |
| 88390 | 84201 |
| 88393 | 84201 |
| 88395 | 84201 |
| 88396 | 84201 |
| 88397 | 84201 |
| 88398 | 84201 |
| 88399 | 84293 |
| 88412 | 84298 |
| 88413 | 84298 |
| 89200 | 84412 |
| 89204 | 84301 |
| 89215 | 84301 |
| 89275 | 84301 |
| 89288 | 84325 |
| 89289 | 84301 |
| 89295 | 84301 |
| 89338 | 84301 |
| 89365 | 84301 |
| 89385 | 84585 |
| 89388 | 84301 |
| 89396 | 84301 |
| 89398 | 84301 |
| 89399 | 84301 |
| 89412 | 84412 |
| 89413 | 84412 |
| 89231 | 84301 |
| 89355 | 84585 |
| 89350 | 84301 |
| 89375 | 84301 |

AIR LIFT PROSERIES REPLACEMENT AIR SPRINGS

| Kit | Replacement Air Spring |
|-------|------------------------|
| 94200 | 86005 |
| 94204 | 86005 |
| 94212 | 86005 |
| 94215 | 86005 |
| 94216 | 86005 |
| 94228 | 86005 |
| 94229 | 86005 |
| 94231 | 86005 |
| 94234 | 86004 |
| 94268 | 86004 |
| 94272 | 86005 |
| 94275 | 86005 |
| 94288 | 86004 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 94289 | 86005 |
| 94295 | 86005 |
| 94299 | 86003 |
| 94338 | 86005 |
| 94341 | 86005 |
| 94350 | 86005 |
| 94352 | 86005 |
| 94355 | 86006 |
| 94365 | 86005 |
| 94375 | 86005 |
| 94385 | 86005 |
| 94388 | 86005 |
| 94390 | 86005 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 94391 | 86005 |
| 94395 | 86005 |
| 94396 | 86005 |
| 94398 | 86005 |
| 94399 | 86005 |
| 93200 | 86001 |
| 93204 | 86001 |
| 93212 | 86001 |
| 93215 | 86001 |
| 93216 | 86001 |
| 93228 | 86001 |
| 93229 | 86001 |
| 93231 | 86001 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 93234 | 86002 |
| 93268 | 86002 |
| 93272 | 86001 |
| 93275 | 86001 |
| 93288 | 86002 |
| 93289 | 86001 |
| 93295 | 86001 |
| 93338 | 86001 |
| 93341 | 86001 |
| 93350 | 86001 |
| 93352 | 86001 |
| 93355 | 86001 |
| 93365 | 86001 |

| Kit | Replacement Air Spring |
|-------|------------------------|
| 93375 | 86001 |
| 93385 | 86001 |
| 93388 | 86001 |
| 93390 | 86001 |
| 93391 | 86001 |
| 93395 | 86001 |
| 93396 | 86001 |
| 93398 | 86001 |
| 93399 | 86001 |

NOTE: Replacement air spring kits include one (1) air spring and the hardware to attach the replacement air spring to the brackets.

AIR SPRING SPECIFICATIONS



Refer to this chart to find the correct air spring for your application.



| Description | P/N | Max Ext. Height | Comp Height | Max Dia. | Design Height | Air Fitting Size (NPTF) | Top Fastener | Bottom Fastener | Mtg. Hole Centers |
|-------------------------------|-------|-----------------|-------------|----------|---------------|-------------------------|--------------|-----------------|-------------------|
| Sleeves | | | | | | | | | |
| Sleeve 3.0" | 58988 | 8.0 | 3.6 | 3.25 | 5.0-6.0 | 1/8" | 3/4" - 16 | 3/8" - 24 | N/A |
| Sleeve 4.0" | 58482 | 7.0 | 2.4 | 4.6 | 4.0-6.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5*** | 58483 | 6.25 | 2.6 | 5.1 | 4.0-5.75 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.0" | 58287 | 8.75 | 3.1 | 4.6 | 5.5-7.5 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.0*** | 58430 | 8.75 | 3.3 | 4.6 | 5.0-8.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5*** | 58387 | 6.75 | 2.6 | 5.1 | 4.0-6.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5" | 58487 | 6.8 | 2.4 | 5.1 | 4.0-6.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5*** | 58587 | 7.75 | 3.3 | 5.1 | 4.5-7.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5" | 58987 | 7.75 | 3.1 | 5.1 | 4.5-7.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5" | 58486 | 9.75 | 3.1 | 5.1 | 6.0-8.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.0" | 58586 | 9.91 | 3.1 | 4.6 | 6.0-8.5 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.0" | 58786 | 10.25 | 3.1 | 4.6 | 7.5-9.5 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 4.5" | 58571 | 10.25 | 3.1 | 5.1 | 6.5-8.5 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 5.0" | 58471 | 10.25 | 3.1 | 5.6 | 6.5-8.5 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 5.0" | 58688 | 7.75 | 3.1 | 5.6 | 5.0-7.0 | 1/8" | 3/4" - 16 | 1/2" - 13 | N/A |
| Sleeve 6.0" | 58341 | 10.9 | 4.4 | 6.8 | 7.0-8.6 | 1/8" | M20-2.5 | M20-2.5 | N/A |
| Bellows | | | | | | | | | |
| Bellows 1B-5 | 58103 | 5.8 | 1.8 | 6.5 | 3.5-5.0 | 1/4" | 3/8" - 16 | 3/8" - 16 | 1.75" |
| Bellows 1B-6 | 58407 | 7.1 | 1.9 | 7.0 | 4.0-6.0 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 1B-6** | 58736 | 7.1 | 2.7 | 7.0 | 4.0-6.0 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 1B-6 Ultimate** | 58740 | 7.0 | 2.7 | 7.0 | 4.0-6.0 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 1B-8 | 58124 | 7.3 | 1.8 | 9.4 | 4.0-6.5 | 1/4" | 3/8" - 16 | 3/8" - 16 | 2.75" |
| Bellows 2B-6, Reg. | 58439 | 7.7 | 2.3 | 6.5 | 4.5-6.5 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 2B-6, Reg. Ultimate** | 58494 | 8.25 | 2.7 | 6.5 | 4.5-6.5 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 2B-6, Ext. | 58437 | 9.1 | 2.3 | 7.0 | 5.0-7.0 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 2B-6, Ext.* | 58401 | 9.1 | 2.3 | 7.0 | 5.0-7.0 | 1/4" | 3/8" - 24 | 3/8" - 24 | 1.75" |
| Bellows 2B-6, Ext.** | 58491 | 9.1 | 2.7 | 7.0 | 5.0-7.0 | 1/8" | 3/8" - 24 | 3/8" - 24 | 2.75" |
| Bellows 2B-6, Ext. Ultimate** | 58496 | 9.1 | 2.7 | | | | | | |

| Service Parts Kit | P/N | Description |
|-------------------|-------|--|
| | 25301 | Kit includes: 1 - 20937 - 50ft. of 1/4" Poly Hose (Urethane) 2 - 20086 - Air Line Assembly 4 - 21838 - Tee 1/4"PTC - 1/4"PTC 4 - 21837 - Elbow 1/8"MNPT - 1/4"PTC 2 - 21830 - Elbow 1/4"MNPT - 1/4"PTC 4 - 21840 - Union 1/4"PTC x 1/4"PTC 2 - 21739 - Tee, Single Barb for .170 ID 2 - 21848 - Elbow 1/8"MNPT x 1/4"PTC |

| Fittings | P/N | Description |
|----------|-------|--------------------|
| | 21841 | 1/8"MNPT x 1/4"PTC |
| | 21810 | 1/4"PTC-1/4"FNPT |
| | 21869 | 1/4"FNPT-1/4"PTC |
| | 21815 | 1/8"MNPT x 4AN |
| | 21830 | 1/4"MNPT x 1/4"PTC |
| | 21837 | 1/8"MNPT x 1/4"PTC |
| | 21848 | 1/8"MNPT x 1/4"PTC |
| | 21804 | 1/8"MNPT x 4AN M |
| | 21807 | 1/4"MNPT x 1/4"PTC |
| | 21813 | 1/4"MNPT x 4AN |
| | 21839 | 1/4"PTC x 1/8"MNPT |
| | 21838 | 1/4"PTC x 1/4"PTC |
| | 21842 | Y 1/4"PTC |

PTC - Push-to-Connect Fitting
NPT - National Pipe Thread Fitting
AN - (Army-Navy) Flare-type Compression Fitting

| 1/4" Air Line | P/N | Description |
|---------------|-------|----------------------------|
| | 20220 | Hose, 20ft., Nylon (20946) |
| | 20230 | Hose, 30ft., Nylon (20946) |
| | 20250 | Hose, 50ft., Nylon (20946) |
| | 20260 | Hose, 60ft., Nylon (20946) |
| | 20315 | Hose, 15ft., Urethane |
| | 10530 | Hose Cutter |

| Hose Assemblies | P/N | Description |
|-----------------|-------|---|
| | 20084 | Ultimate Plus Nylon Hose Assembly, 8ft. |
| | 20086 | LoadLifter Hose Assembly, 16ft. |

| Hose Kits | P/N | Description |
|-----------|-------|--|
| | 22007 | Replacement Hose Kit - Push-on (Air Lift 1000 Series) |
| | 22022 | P-30 Hose Kit |
| | 22030 | Replacement Hose Kit - Screw-on (Air Lift 1000 Series) |

Upgrade Any LoadLifter 5000 Series Kit

| Ultimate Plus Upgrade Kit | P/N | Description | Braided Air Line Upgrade Kit | P/N | Description |
|---------------------------|-------|---|------------------------------|-------|--|
| | 52301 | Includes stainless steel air lines (2 x 5.5'), roll plates, AN fittings and mounting hardware | | 52300 | Includes stainless air lines (2 x 5.5') and AN fittings only |

COMPRESSOR SYSTEM PARTS

| Compressor Parts | P/N | Description |
|------------------|------------------|--|
| | 16060 | Standard-duty 12V Air Compressor, 0.92 CFM, 100 PSI Replacement compressor for kits 25592 & 25980 |
| | 16192 | Heavy-duty 12V Air Compressor, 1.03 CFM, 120 PSI Replacement compressor for kits 25854, 25856, 25980EZ, 74000 & 74000EZ |
| | 16190 | Compressor, 12V, 1.59 CFM, 150PSI Replacement compressor for kits 25572, 25690 |
| | 26156 | Single Gauge Panel Assembly for LoadController |
| | 26159 | Dual Gauge Panel Assembly for LoadController |
| | 25194 | Single Analog Gauge |
| | 25195 | Dual Analog Gauge |
| | 25196 (pod only) | 25196 Analog Gauge Pod (pod only, gauge not included) |
| | 26897 | WirelessAir Harness |
| | 26896 | 26896 WirelessOne Harness |



FREQUENTLY ASKED QUESTIONS

Q. Will adding air springs increase the weight rating of my vehicle?

A. No. Adding air springs does not change the Weight Rating (GVWR, GCWR, GAWR) of a vehicle. Adding weight over the factory rating is dangerous and voids your Air Lift warranty. Weight ratings take into account tires, bearings, frame, brakes and more. Increasing your suspension's ability to support weight does not increase the weight ratings. Never exceed your vehicle's weight ratings.

Q. Do you have to add a compressor (On-Board Air Compressor System) to your air springs?

A. A compressor isn't required, but it is convenient! An on-board air compressor system allows you to inflate and deflate your air springs on the go. Compressors remove the hassle of pulling over or searching for service stations with air pumps. With our on-board air compressor systems, all adjustments are automatic and can be made with the touch of a button while driving or parked.

Q. Do I have to keep air in the springs all the time, and how much pressure do I need?

A. Yes, you should always maintain the recommended minimum air pressure of 5 PSI, even if your vehicle isn't loaded. This keeps the air springs "in shape" and able to perform without rubbing or wearing. Just check the air pressure periodically, as you do for your tires.

Q. Can air springs raise or lower my vehicle?

A. If you're asking if conventional air springs can take the place of a lift or lowering kit, the answer is NO. If you're asking if air springs will cause a normal ride height vehicle to ride higher, the answer is YES, if you want them to, by adding pressure, but only by an inch or two. If you DO want to lower your vehicle, look into our Air Lift Performance products. If you have a lowered truck and want to add air springs for towing, look at SlamAir™ (page 34). If you have a lifted truck and would like to add the support of air springs, check out Universal Air Spring Spacers (page 37). Call customer support at (800) 248-0892 for more information.

Q. My vehicle rides rough while towing or hauling; will adding air make it ride better?

A. Absolutely! Air springs are engineered to increase ride quality when carrying heavy loads and help fatigued springs ride smoothly. Our air springs greatly improve ride quality when towing or hauling.

Q. Can I use air springs with factory overload springs?

A. Yes, most of Air Lift's applications work with overload springs. Check our application guide for your vehicle.

Q. How long do air springs last?

A. Forever! If they are properly installed and maintained, our air springs can last indefinitely. Just check the pressure regularly, or use an on-board air system to maintain it for you. Air Lift offers a lifetime warranty on all of our air spring kits. See page 5 for details.

Q. What's better, steel helper springs or air helper springs?


A. Air Lift air helper springs are the best solution because they are totally adjustable — steel springs are not. All you have to do is add or remove air to fine tune your ride for all load situations! That's the reason professional drivers choose air over steel.

Q. How do I get replacement parts if I ever need them?

A. Air Lift sells many parts individually, while our competitors want to sell you pairs of parts. You can get Air Lift replacement parts from your dealer or directly from Air Lift Company. If your dealer cannot help, call Air Lift at 1-800-248-0892.



◀ Check out all the
NEW Air Lift Products



Product information and photographs are accurate at the time of printing. Kit and part photographs are representative and vary according to vehicle application. Air Lift Company reserves the right to upgrade or modify content as new components become available and is not responsible for misprints.

AD-868 • 1/24 • Copyright © 2024 Air Lift Company

Customer Support:

service@airliftcompany.com

1.800.248.0892

airliftcompany.com

